RESEARCH ARTICLE

OPEN ACCESS

Phytochemical studies in leaf drug adhatoda ravica now

Gambhire Vikas and Biradar Rupali *

Department of Botany, Govt. College of Arts and Science, Aurangabad

- Department of Botany, Indraraj Arts, Commerce and Science College, Sillod, Aurangabad
- *Corresponding author: E. Mail- gambhirevikass@gmail.com

Available online on https://www.irjse.in ISSN: 2322-0015

Editor: Dr. Arvind Chavhan

Cite this article as:

Gambhire Vikas and Biradar Rupali. Phytochemical studies in leaf drug *adhatoda vasica* nees., *Int. Res. Journal of Science & Engineering*, 2020, Special Issue A9: 129-132.

Article published in Special issue of International e Conference on "Emerging trends and Challenges In life sciences" organized by Department of Botany, Indraraj Arts, Commerce & Science College, Sillod-431112, Dist Aurangabad, Maharashtra, India date, June 18-19, 2020.



en stadio de la gradición de la companya de la comp en region de la companya de l



Alachese

Adhatoda vasica Nees. is an evergreen, perennial shrub with terete glabrous stem belonging to family Acanthaceae. Its leaves are medicinally exploited to treat several diseases and disorders. Being an important ayurvedic drug it is deliberately adulterated. Phytochemical studies in this leafy drug are carried out to standardize and detect the adulteration in it. The phytochemical studies include details of characters of leaf powder like colour, odour, taste, Alkaloids, Anthraqinone, Iridoids, Saponins, Steroids, Tannins (Qualitative) and dry matter, bulk density, nitrogen, Water soluble nitrogen, crude protein, crude fat, crude fiber, total ash, acid insoluble ash, acid soluble ash, water insoluble ash, water soluble ash, calcium, reducing sugar, total sugar, non-reducing sugar, cellulose, gross energy, phosphorus, extractive values in 10 solvents (Quantitative). The above parameters can be applied to standardize this leaf drug.

Keywords- Phytochemical studies, *Adhatoda vasica* Nees., adulterations.

AND AND DE STATE

Adhatoda vasica Nees. Is an evergreen, perennial 1-2m tall shrub with terete glabrous stem branches and simple, exstipulate, leathery leaves. I eaves are medicinally exploited to treat several diseases and disorders like or as Anthrax pustules, Asthma, Antibiotic, Antispasmodic, Antitubercular, Anti-tumor, Bronchodilatiry, Bronchitis, Catarrh, Cough, Expectorant, Eye diseases, Girth galls in horses, Inflammation of tubercular glands, Inflammatory swellings on fresh wounds, Neuralgia, Rheumatic joints, Saddle sores [1],

International e-Conference on "Emerging trends and Challenges in Life Sciences

PRINCIPAL
Govt. College of Arts & Science
Alternational

1129

Diarrhea, Dysentery, Emmenagogue, Glandular tumor [2, 3], Fever, Skin diseases [4], Insecticide, Nose bleeding [5], Poultice on the swelling parts [6], Throat infection [3]. Being a famous drug there are very chances of adulterations in drug. The adulterations may by deliberate or happened unknowingly. During present investigation an attempt was made to standardize the leaves of *Adhatoda vasica*Nees. by using some phytochemical parameters.

Methodology

The leaf samples were collected from the medium sized authentically identified plant species from different localities of Marathwada. The leaves were removed carefully by hand pricking without damaging the plants. The leaves were collected in polythene bags and brought to the laboratory within 2-5 hours. The leaves were initially dried in shade and later in oven at 60°C till constant weight, then made in to fine powder and stored in sealed plastic container for further analysis [7]. The phytochemical analysis was carried out using standard procedures. The phytochemical parameters obtained from studies are useful to know the adulterations in leaf drug Adhatoda vasica Nees. The phytochemical studies include details of characters of leaf powder like colour, odour, taste, dry matter, nitrogen, crude fat, crude fiber, total ash, acid insoluble ash, acid soluble ash, calcium, reducing sugar, total sugar, non-reducing sugar, cellulose, extractive values etc.

Resemble and a section of the

All above mentioned characters were found to be diagnostic to find adulteration in the leaf drug Adhatoda vasica Nees. The parameters like deep green colour, sweet characteristic odour, bitter taste, presence of Alkaloids, Anthraquinones, Iridoids, Saponins, Steroids and Tannins give preliminary idea about authenticity of drug (Tables 1 & 2) while quantitative chemical parameters like dry matter 30.56 %, bulk density 0.332 mg/cm³, Nitrogen 2.58 %, 1.5 % water soluble nitrogen, crude proteins 16.12 %, crude fats 5.4 %, crude fibers 17.05 %, total ash 11.3 %, acid insoluble ash 1 %, acid soluble ash 2.88 %, water insoluble ash 4.3 %, water soluble ash 7.0 %, Calcium 3.494 %, reducing sugar 1.585 %, non-reducing sugar 1.334 %, total sugar 2.919 %, cellulose 21 %, gross energy 3.76 K cal/ gm, Phosphorous 0.46 % (Table 3) together can be exploited for making certain that raw material is genuine for predicting quantum of adulteration. The extractive values in Water 3.4 %, Acetone 0.4 %, Butanol 3.4 %, Chloroform 3.4 %, Diethyl Ether 1.8 %, Ethyl alcohol 5.2 %, Methanol 14.8 %, Petroleum ether 1.2 %, Propanol 1.4 %, Toluene 1.6 % are conclusive parameters (Table 4).

Phytochemical characters of leaf powder Table 1 Physical characters

Sr. No.	Character	Expression
1	Colour	Deep Green
2	Odour	Characteristic
3	Taste	Bitter

Table 2 Qualitative phytochemical characters

Tuble 2 Quantum e projetoement eminuters				
Sr. No.	Character	Expression		
1	Alkaloids	+		
2	Anthraqinone	+		
3	Iridoids	+		
4	Saponins	+		
5	Steroids	+		
6	Tannins	+		

195 V 2122 WY



https://www.irjse.in

PRINCIPAL Mayt. College of Arts & Science Aurangabad

Table 3 Quantitative phytochemical characters

Sr. No.	Character	Expression	
01	Dry Matter (DM)	30.56	
02	Bulk Density	0.332 mg/cm ³	
03	Nitrogen (N)	02.58	
04	Water Soluble Nitrogen (WSN)	1.500	
05	Crude Protein (CP)	16.12	
06	Crude Fat (CFat)	05.40	
07	Crude Fibre (CF)	17.05	
08	Total Ash (TA)	11.30	
09	Acid Insoluble Ash (AIA)	01.00	
10	Acid Soluble Ash (ASA)	02.88	
11	Water Insoluble Ash (WIA)	04.30	
12	Water Soluble Ash (WSA)	07.00	
13	Calcium (Ca)	3.494	
14	Reducing Sugars	1.585	
15	Non Reducing Sugars	1.334	
16	Total Sugars	2.919	
17	Cellulose	21.00	
18	Gross Energy (GE)	3.76 Kcal/gm	
19	Phosphorus (P)	0.460	

Table 4 Extractive values

Sr. No	Solvent	Extractive Value
01.	Extractive value in Water	03.40
02.	Extractive value in Acetone	00.40
03.	Extractive value in Butanol	03.40
04.	Extractive value in Chloroform	03.40
05.	Extractive value in Diethyl Ether	01.80
06.	Extractive value in Ethyl Alcohol	05.20
07.	Extractive value in Methanol	14.80
08.	Extractive value in Petroleum Ether	01.20
09.	Extractive value in Propanol	01.40
10	Extractive value in Toluene	01.60

Conflicts of interest: The authors stated that no conflicts of interest.

References

1. Roy D. C. and Indu Kumari, 2004, "Ethnobotanical studies on some Medicinal plants of Gaya and

- adjoining areas", International Journal Mendel Vol. (1-2); 23-24.
- 2. Jha K.K., Gupta, 1991, "Intercropping of Medicinal plants with popular and their penology", Indian forester.
- 3. Patel P.K., 2004, "Ethno Medicinal study of Patan District, North Gujarat", Agrobios News letter, Vol II, issue

Int. Res. J. of Science & Engineering, Special Issue A9, July, 2020



PRINCIPAL
Govt. College of Arts & Science
Aurangabad

- Martin P., Innocent B. X. and Raveendra retnam K., 2004, "Ethno Medicinal plants of Tirunelveli and Tuticorin Districts, Tamilnadu", Agrobios newsletter, Vol. – 2, Issue – II.
- 5. Trivedi P.C., 2002, " Ethno botany", The Diamond printing press, Jaipur.
- 6. Das M.N. and Das P.K., 2002, "A survey of the Medicinal uses of local plants by the natives of Vaishali District, Bihar" International Journal Mendel Vol. 19 (3); 113-115.
- Sadasivam S. and Manickam A., 2008, "Biochemical Methods", New age International Publishers, New Delhi

© 2020) Published ov iKISI



PRINCIPAL Govt. College of Arts & Science Aurangabed

ISSN 2322 0015